


45° Bend MEGAband



Description

Welded metal accessory with safety edge for horizontal curves of 45° angle in a Megaband® ladder installation. Assembly by click system of fast connection. Made of steel and available in different sizes and Protection Systems. Bending radius 300 mm. Check availability of 600 mm radius.

Advantages

Connection to ladder by rapid assembly Click system. Only the Megaband® M8 joint kit or M8 nuts and bolts required

Curved safety edge which offers maximum protection.

Notable savings in joints and installation time.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, GC and stainless steel AISI 304 and AISI 316L.

Applications

Suitable for the creation of horizontal curves of 45° angle with Megaband® ladders in the conduction of cables in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial facilities, tertiary sector.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

60, 100, 120, 150	100, 150, 200, 300, 400, 450, 500, 600, 750, 900	300	45	1	20 J	-50 / 150 °C
A1 No combustible	ETIM 10 EC001535					

Ⓢ	Class EC 61537	Ⓜ	Ⓜ	Ref	kg/L	Ⓜ
PG	Class 3	60	100	93712100	1,420	Steel with surface coating
PG	Class 3	60	150	93712150	1,590	Steel with surface coating
PG	Class 3	60	200	93712200	1,760	Steel with surface coating
PG	Class 3	60	300	93712300	2,090	Steel with surface coating
PG	Class 3	60	400	93712400	2,420	Steel with surface coating
PG	Class 3	60	450	93712450	2,590	Steel with surface coating
PG	Class 3	60	500	93712500	2,750	Steel with surface coating
PG	Class 3	60	600	93712600	3,080	Steel with surface coating
PG	Class 3	100	100	93714100	2,021	Steel with surface coating
PG	Class 3	100	150	93714150	2,211	Steel with surface coating
PG	Class 3	100	200	93714200	2,401	Steel with surface coating
PG	Class 3	100	300	93714300	2,761	Steel with surface coating
PG	Class 3	100	400	93714400	3,131	Steel with surface coating
PG	Class 3	100	450	93714450	3,321	Steel with surface coating
PG	Class 3	100	500	93714500	3,491	Steel with surface coating
PG	Class 3	100	600	93714600	3,861	Steel with surface coating
PG	Class 3	100	750	93714750	4,421	Steel with surface coating
PG	Class 3	100	900	93714900	4,961	Steel with surface coating
PG	Class 3	120	100	93715100	2,331	Steel with surface coating
PG	Class 3	120	150	93715150	2,531	Steel with surface coating
PG	Class 3	120	200	93715200	2,721	Steel with surface coating
PG	Class 3	120	300	93715300	3,111	Steel with surface coating
PG	Class 3	120	400	93715400	3,491	Steel with surface coating
PG	Class 3	120	450	93715450	3,691	Steel with surface coating
PG	Class 3	120	500	93715500	3,881	Steel with surface coating
PG	Class 3	120	600	93715600	4,261	Steel with surface coating
PG	Class 3	120	750	93715750	4,851	Steel with surface coating
PG	Class 3	120	900	93715900	5,421	Steel with surface coating
PG	Class 3	150	100	93716100	2,791	Steel with surface coating
PG	Class 3	150	150	93716150	3,001	Steel with surface coating
PG	Class 3	150	200	93716200	3,201	Steel with surface coating
PG	Class 3	150	300	93716300	3,631	Steel with surface coating
PG	Class 3	150	400	93716400	4,041	Steel with surface coating
PG	Class 3	150	450	93716450	4,251	Steel with surface coating
PG	Class 3	150	500	93716500	4,451	Steel with surface coating



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Reijband, Pemsaband, Inducanal, Reijtech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



45° Bend MEGAband

⑤	Des 61537	⊞	⊞	Ref	kg/u	Ⓜ
PG	Class 3	150	600	93716600	4,871	Steel with surface coating
PG	Class 3	150	750	93716750	5,491	Steel with surface coating
PG	Class 3	150	900	93716900	6,111	Steel with surface coating
GC	Class 6	60	100	93732100	1,510	Steel with surface coating
GC	Class 6	60	150	93732150	1,680	Steel with surface coating
GC	Class 6	60	200	93732200	1,870	Steel with surface coating
GC	Class 6	60	300	93732300	2,220	Steel with surface coating
GC	Class 6	60	400	93732400	2,570	Steel with surface coating
GC	Class 6	60	450	93732450	2,750	Steel with surface coating
GC	Class 6	60	500	93732500	2,920	Steel with surface coating
GC	Class 6	60	600	93732600	3,270	Steel with surface coating
GC	Class 6	100	100	93734100	2,151	Steel with surface coating
GC	Class 6	100	150	93734150	2,341	Steel with surface coating
GC	Class 6	100	200	93734200	2,541	Steel with surface coating
GC	Class 6	100	300	93734300	2,941	Steel with surface coating
GC	Class 6	100	400	93734400	3,331	Steel with surface coating
GC	Class 6	100	450	93734450	3,531	Steel with surface coating
GC	Class 6	100	500	93734500	3,721	Steel with surface coating
GC	Class 6	100	600	93734600	4,111	Steel with surface coating
GC	Class 6	100	750	93734750	4,701	Steel with surface coating
GC	Class 6	100	900	93734900	5,291	Steel with surface coating
GC	Class 6	120	100	93735100	2,481	Steel with surface coating
GC	Class 6	120	150	93735150	2,681	Steel with surface coating
GC	Class 6	120	200	93735200	2,891	Steel with surface coating
GC	Class 6	120	300	93735300	3,311	Steel with surface coating
GC	Class 6	120	400	93735400	3,721	Steel with surface coating
GC	Class 6	120	450	93735450	3,931	Steel with surface coating
GC	Class 6	120	500	93735500	4,961	Steel with surface coating
GC	Class 6	120	600	93735600	5,421	Steel with surface coating
GC	Class 6	120	750	93735750	6,101	Steel with surface coating
GC	Class 6	120	900	93735900	6,781	Steel with surface coating
GC	Class 6	150	150	93736150	3,191	Steel with surface coating
GC	Class 6	150	200	93736200	3,421	Steel with surface coating
GC	Class 6	150	300	93736300	3,861	Steel with surface coating
GC	Class 6	150	400	93736400	4,301	Steel with surface coating
GC	Class 6	150	450	93736450	4,531	Steel with surface coating
GC	Class 6	150	500	93736500	5,761	Steel with surface coating
GC	Class 6	150	600	93736600	6,261	Steel with surface coating
GC	Class 6	150	750	93736750	7,011	Steel with surface coating
GC	Class 6	150	900	93736900	7,751	Steel with surface coating
INOX	Class 9C	60	100	93752100	1,410	Stainless steel AISI 304



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



⑤	01537	⊞	⊞	Ref	kg/u	Ⓜ
INOX	Class 9C	60	150	93752150	1,570	Stainless steel AISI 304
INOX	Class 9C	60	200	93752200	1,740	Stainless steel AISI 304
INOX	Class 9C	60	300	93752300	2,070	Stainless steel AISI 304
INOX	Class 9C	60	400	93752400	2,400	Stainless steel AISI 304
INOX	Class 9C	60	450	93752450	2,570	Stainless steel AISI 304
INOX	Class 9C	60	500	93752500	2,730	Stainless steel AISI 304
INOX	Class 9C	60	600	93752600	2,750	Stainless steel AISI 304
INOX	Class 9C	100	100	93754100	2,011	Stainless steel AISI 304
INOX	Class 9C	100	150	93754150	2,191	Stainless steel AISI 304
INOX	Class 9C	100	200	93754200	2,381	Stainless steel AISI 304
INOX	Class 9C	100	300	93754300	2,751	Stainless steel AISI 304
INOX	Class 9C	100	400	93754400	3,111	Stainless steel AISI 304
INOX	Class 9C	100	450	93754450	3,301	Stainless steel AISI 304
INOX	Class 9C	100	500	93754500	3,481	Stainless steel AISI 304
INOX	Class 9C	100	600	93754600	3,851	Stainless steel AISI 304
INOX	Class 9C	100	750	93754750	4,401	Stainless steel AISI 304
INOX	Class 9C	100	900	93754900	4,951	Stainless steel AISI 304
INOX	Class 9C	120	100	93755100	2,321	Stainless steel AISI 304
INOX	Class 9C	120	150	93755150	2,511	Stainless steel AISI 304
INOX	Class 9C	120	200	93755200	2,711	Stainless steel AISI 304
INOX	Class 9C	120	300	93755300	3,091	Stainless steel AISI 304
INOX	Class 9C	120	400	93755400	3,481	Stainless steel AISI 304
INOX	Class 9C	120	450	93755450	3,671	Stainless steel AISI 304
INOX	Class 9C	120	500	93755500	3,861	Stainless steel AISI 304
INOX	Class 9C	120	600	93755600	4,251	Stainless steel AISI 304
INOX	Class 9C	120	750	93755750	4,831	Stainless steel AISI 304
INOX	Class 9C	120	900	93755900	5,411	Stainless steel AISI 304
INOX	Class 9C	150	100	93756100	2,781	Stainless steel AISI 304
INOX	Class 9C	150	150	93756150	2,981	Stainless steel AISI 304
INOX	Class 9C	150	200	93756200	3,201	Stainless steel AISI 304
INOX	Class 9C	150	300	93756300	3,611	Stainless steel AISI 304
INOX	Class 9C	150	400	93756400	4,031	Stainless steel AISI 304
INOX	Class 9C	150	450	93756450	4,231	Stainless steel AISI 304
INOX	Class 9C	150	500	93756500	4,441	Stainless steel AISI 304
INOX	Class 9C	150	600	93756600	4,851	Stainless steel AISI 304
INOX	Class 9C	150	750	93756750	5,471	Stainless steel AISI 304
INOX	Class 9C	150	900	93756900	6,091	Stainless steel AISI 304
INOX	Class 9D	60	100	93762100	1,410	Acero inoxidable AISI 316L
INOX	Class 9D	60	150	93762150	1,570	Acero inoxidable AISI 316L
INOX	Class 9D	60	200	93762200	1,740	Acero inoxidable AISI 316L
INOX	Class 9D	60	300	93762300	2,070	Acero inoxidable AISI 316L



Ⓢ	IEC 61537	Ⓜ	Ⓜ	Ref	kg/u	Ⓜ
INOX	Class 9D	60	400	93762400	2,400	Acero inoxidable AISI 316L
INOX	Class 9D	60	450	93762450	2,570	Acero inoxidable AISI 316L
INOX	Class 9D	60	500	93762500	2,730	Acero inoxidable AISI 316L
INOX	Class 9D	60	600	93762600	2,750	Acero inoxidable AISI 316L
INOX	Class 9D	100	100	93764100	2,011	Acero inoxidable AISI 316L
INOX	Class 9D	100	150	93764150	2,191	Acero inoxidable AISI 316L
INOX	Class 9D	100	200	93764200	2,381	Acero inoxidable AISI 316L
INOX	Class 9D	100	300	93764300	2,751	Acero inoxidable AISI 316L
INOX	Class 9D	100	400	93764400	3,111	Acero inoxidable AISI 316L
INOX	Class 9D	100	450	93764450	3,301	Acero inoxidable AISI 316L
INOX	Class 9D	100	500	93764500	3,481	Acero inoxidable AISI 316L
INOX	Class 9D	100	600	93764600	3,851	Acero inoxidable AISI 316L
INOX	Class 9D	100	750	93764750	4,401	Acero inoxidable AISI 316L
INOX	Class 9D	100	900	93764900	4,951	Acero inoxidable AISI 316L
INOX	Class 9D	120	100	93765100	2,321	Acero inoxidable AISI 316L
INOX	Class 9D	120	150	93765150	2,511	Acero inoxidable AISI 316L
INOX	Class 9D	120	200	93765200	2,711	Acero inoxidable AISI 316L
INOX	Class 9D	120	300	93765300	3,091	Acero inoxidable AISI 316L
INOX	Class 9D	120	400	93765400	3,481	Acero inoxidable AISI 316L
INOX	Class 9D	120	450	93765450	3,671	Acero inoxidable AISI 316L
INOX	Class 9D	120	500	93765500	3,861	Acero inoxidable AISI 316L
INOX	Class 9D	120	600	93765600	4,251	Acero inoxidable AISI 316L
INOX	Class 9D	120	750	93765750	4,831	Acero inoxidable AISI 316L
INOX	Class 9D	120	900	93765900	5,411	Acero inoxidable AISI 316L
INOX	Class 9D	150	100	93766100	2,781	Acero inoxidable AISI 316L
INOX	Class 9D	150	150	93766150	2,981	Acero inoxidable AISI 316L
INOX	Class 9D	150	200	93766200	3,201	Acero inoxidable AISI 316L
INOX	Class 9D	150	300	93766300	3,611	Acero inoxidable AISI 316L
INOX	Class 9D	150	400	93766400	4,031	Acero inoxidable AISI 316L
INOX	Class 9D	150	450	93766450	4,231	Acero inoxidable AISI 316L
INOX	Class 9D	150	500	93766500	4,441	Acero inoxidable AISI 316L
INOX	Class 9D	150	600	93766600	4,851	Acero inoxidable AISI 316L
INOX	Class 9D	150	750	93766750	5,471	Acero inoxidable AISI 316L
INOX	Class 9D	150	900	93766900	6,091	Acero inoxidable AISI 316L

45° Bend MEGAband

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



Product applications

