



Plan Channel Nut Safe&Fast



Description

Advantages

Suitable for placing inside the channel, both for the fixing of channel accessories or brackets to it.

Use with hexagonal bolt M6, M8 or M10.

Use with hexagonal bolt M6, M8 or M10.

Discover the innovation that makes installation easier and more efficient. With our exclusive plastic insert, twisting and positioning the piece on the channel or strut has never been easier. This design ensures a perfect and secure fit, saving time and effort with every installation.

Use with hexagonal bolt M6, M8 or M10.

Use with hexagonal bolt M6, M8 or M10.

CE conformity to directive 2014/35 / EU.

It has an internal metal device that connects with the shielding layer of the cable, ensuring electrical continuity and the correct shielding of the cable.

Applications

Suitable for the fixing of channel supports and structures for installations of Pemsaband® and Rejiband® metal trays in the management of electrical cables and / or telecommunications in public buildings, infrastructures and civil works, industrial installations and tertiary sector.

Solutions



Main technical characteristics

 EZ3, Electrogalvanised, HDG, Hot Dip Galvanised, Stainless Steel AISI 316L	 14	 M 6, M 8, M 10	 Steel with surface coating
 -50 / 150 °C	 A1 No combustible	ETIM 10	EC000096

Product data

				Ref	kg/u
EZ	EZ3, Electrogalvanised	Class 3	M 6	81000480	0,027
EZ	EZ3, Electrogalvanised	Class 3	M 8	81000481	0,026
EZ	EZ3, Electrogalvanised	Class 3	M10	81000482	0,025
GC	HDG, Hot Dip Galvanised	Class 6	M 6	81000483	0,028
GC	HDG, Hot Dip Galvanised	Class 6	M 8	81000484	0,027
GC	HDG, Hot Dip Galvanised	Class 6	M10	81000485	0,026
INOX	Stainless Steel AISI 316L	Class 9D	M 6	81000486	0,027
INOX	Stainless Steel AISI 316L	Class 9D	M 8	81000487	0,026
INOX	Stainless Steel AISI 316L	Class 9D	M10	81000488	0,025

 Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Plan Channel Nut Safe&Fast

Product applications

