



Ceiling Rod Bracket (Ref: 67030060)

1/4



Description

Metal support for the ceiling mounting of Rejiband® wire mesh trays and Pemsaband® sheet trays by means of a M8 or M10 threaded rod in electrical or telecommunications indoor installations. Made of steel with PG Protection System.

Advantages

PG protection system, according to BS-EN-10142, suitable for indoor installations in industrial environments. Corrosion resistance class 3.

Suitable for the support of all ranges of cable trays.

Suitable for ceiling installations with confined spaces, thanks to its reduced dimensions.

CE conformity to directive 2014/35 / EU.

Connection with M8 or M10 threaded rod using hexagonal nuts.

Applications

Suitable for supporting medium loads of cable trays to the ceiling by means of a rod for electrical installations and / or of telecommunications in: Civil works, tunnels, car parks, public buildings, commercial centres, large infrastructures such as: Airports, underground, rail, tertiary sector, industrial naval, petrochemical, textile, chemical and food applications.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Product data			
ETIM 10		EC000896	
Huella de CO2. GWP A1-A3 (kg CO2 eq.)			
Protection System		PG	
Finish		PG3, Pregalvanised	
Resistance Class		Class 3	
kg/u		0,098	
u		10	
Material		Steel with surface coating	
SWL (kg)		275	
Working temperature range (°C)		-50 / 150 °C	
Fire resistance		A1 No combustible	

Protection System

CU

Copper electroplated

PG

Pregalvanised

EZ

Electrogalvanised

BC

Electrogalvanised Bichromate

BK8

High Resistance Coating

GC

Hot Dip Galvanising

INOX

Stainless Steel

PT

Polyester Paint

AL

Aluminum

LN

Brass or Nickel-plated brass

Insulating materials

PC+ABS

Halogen Free Polycarbonate + ABS

PVC

Polyvinyl Chloride

PP

Halogen Free Polypropylene

PA6

Halogen Free Polyamide 6

PA12

Halogen Free Polyamide 12

PU

Polyurethane

PE

Polyethylene

NBR

NBR rubber

PET


Thermoplastic Polyester

TPV

Thermoplastic

Ceiling Rod Bracket (Ref: 67030060)

Product applications



Ceiling Rod Bracket (Ref: 67030060)

4/4

