


End Cover



Description

Metal cover used as an end closure for the Megaband® ladder system. Quick connection assembly using the click system, without joints. Made of steel, in various sizes and Protection Systems.

Advantages

Its unique design allows the closure and protection of Megaband ladder.

Safer professional finish.

Available in various sizes.

Applications

It is used as a closure on the end of the Megaband® ladder system for the protection of the installation. Applicable in the management of cables in electrical and telecommunications installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions



Main technical characteristics

 60, 100, 120	 100, 150, 200, 300, 400, 450, 500, 600, 750, 900	 1	 Steel with surface coating	 IP44
 -50 / 150 °C	 A1 No combustible	ETIM 10 EC001574		

Product data

Ⓢ	Class IEC 61537			Réf	kg/u
GC	Class 5	60	100	70039210	0,137
GC	Class 5	60	150	70039215	0,194
GC	Class 5	60	200	70039220	0,273
GC	Class 5	60	300	70039230	0,411
GC	Class 5	60	400	70039240	0,506
GC	Class 5	60	450	70039245	0,570
GC	Class 5	60	500	70039250	0,628
GC	Class 5	60	600	70039260	0,746
GC	Class 5	100	100	70039410	0,191
GC	Class 5	100	150	70039415	0,263
GC	Class 5	100	200	70039420	0,346
GC	Class 5	100	300	70039430	0,494
GC	Class 5	100	400	70039440	0,640
GC	Class 5	100	450	70039445	0,719
GC	Class 5	100	500	70039450	0,791
GC	Class 5	100	600	70039460	0,935
GC	Class 5	100	750	70039475	1,170
GC	Class 5	100	900	70039490	1,390
GC	Class 5	120	100	70039510	0,218
GC	Class 5	120	150	70039515	0,296
GC	Class 5	120	200	70039520	0,387
GC	Class 5	120	300	70039530	0,548
GC	Class 5	120	400	70039540	0,708
GC	Class 5	120	450	70039545	0,793
GC	Class 5	120	500	70039550	0,872
GC	Class 5	120	600	70039560	1,030
GC	Class 5	120	750	70039575	1,290
GC	Class 5	120	900	70039590	1,530
PG	Class 3	60	100	71022010	0,127
PG	Class 3	60	150	71022015	0,181
PG	Class 3	60	200	71022020	0,254
PG	Class 3	60	300	71022030	0,372
PG	Class 3	60	400	71022040	0,470
PG	Class 3	60	500	71022050	0,585
PG	Class 3	60	600	71022060	0,693

End Cover

⑤	Class	⑥	⑦	Ref	kg/u
PG	Class 3	100	100	71024010	0,178
PG	Class 3	100	150	71024015	0,244
PG	Class 3	100	200	71024020	0,322
PG	Class 3	100	300	71024030	0,460
PG	Class 3	100	400	71024040	0,595
PG	Class 3	100	450	71024045	0,669
PG	Class 3	100	500	71024050	0,735
PG	Class 3	100	600	71024060	0,869
PG	Class 3	120	100	71025010	0,203
PG	Class 3	120	150	71025015	0,276
PG	Class 3	120	200	71025020	0,360
PG	Class 3	120	300	71025030	0,510
PG	Class 3	120	400	71025040	0,659
PG	Class 3	120	450	71025045	0,738
PG	Class 3	120	500	71025050	0,811
PG	Class 3	120	600	71025060	0,957
AZ+	Class 8	60	100	82003806	0,127
AZ+	Class 8	60	150	82003807	0,181
AZ+	Class 8	60	200	82003808	0,254
AZ+	Class 8	60	300	82003809	0,372
AZ+	Class 8	60	400	82003810	0,470
AZ+	Class 8	60	500	82003811	0,585
AZ+	Class 8	60	600	82003812	0,693
AZ+	Class 8	100	100	82004307	0,178
AZ+	Class 8	100	200	82004308	0,322
AZ+	Class 8	100	300	82004309	0,460
AZ+	Class 8	100	400	82004310	0,595
AZ+	Class 8	100	500	82004311	0,735
AZ+	Class 8	100	600	82004312	0,869

⑤ Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



End Cover

Ⓜ Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



Product applications

