



Description

Solid metal cover designed to protect the straight sections of the Rejiband® wire mesh trays, Pemsaband® One, and Megaband® ladder. Snap fit mounting without the need of screws or fixings. It has an extended overlap at the end that improves the coupling and sealing of two straight sections of cover. Made of steel and available in various Protection Systems and sizes.

Advantages

Optimum adjustment on the metal trays giving them a greater protection.

Snap fit installation without any fixings.

It has a locking clip at the ends and a hole for a screw connection to close the cover so that it can only be opened with a tool

Secure vertical fixing. The lid remains fixed, even in a vertical position.

Applications

Recommended for the protection of electrical and telecommunications wiring housed in Rejiband®, Pemsaband® and Megaband® trays in electrical and telecommunications installations in public buildings, infrastructure and civil works, industrial installation or tertiary sector.

Solutions



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Main technical characteristics

100, 150, 200, 300, 400, 450, 500, 600, 750, 900	IP44	-50 / 150 °C	A1 No combustible	ETIM 10 EC002403
--	------	--------------	-------------------	---------------------

Product data

Ⓢ	Class	Ø	h	Ref.	kg/u	h	M
PG	Class 3	100	3	73021100	0,666	24	Steel with surface coating
PG	Class 3	150	3	73021150	0,912	12	Steel with surface coating
PG	Class 3	200	3	73021200	1,157	12	Steel with surface coating
PG	Class 3	300	3	73021300	1,918	6	Steel with surface coating
PG	Class 3	400	3	73021400	2,474	6	Steel with surface coating
PG	Class 3	450	3	73021450	3,087	6	Steel with surface coating
PG	Class 3	500	3	73021500	3,480	6	Steel with surface coating
PG	Class 3	600	3	73021600	4,156	6	Steel with surface coating
PG	Class 3	750	2	73021750	5,034	4	Steel with surface coating
PG	Class 3	900	2	73021900	5,984	4	Steel with surface coating
GC	Class 5	100	3	73031100	0,736	24	Steel with surface coating
GC	Class 5	150	3	73031150	1,005	12	Steel with surface coating
GC	Class 5	200	3	73031200	1,277	12	Steel with surface coating
GC	Class 5	300	3	73031300	2,089	6	Steel with surface coating
GC	Class 5	400	3	73031400	2,694	6	Steel with surface coating
GC	Class 5	450	3	73031450	3,407	6	Steel with surface coating
GC	Class 5	500	3	73031500	3,750	6	Steel with surface coating
GC	Class 5	600	3	73031600	4,476	6	Steel with surface coating
GC	Class 5	750	2	73031750	5,524	4	Steel with surface coating
GC	Class 5	900	2	73031900	6,574	4	Steel with surface coating
INOX	Class 9C	100	3	73051100	0,539	24	Stainless steel AISI 304
INOX	Class 9C	150	3	73051150	0,737	12	Stainless steel AISI 304
INOX	Class 9C	200	3	73051200	0,947	12	Stainless steel AISI 304
INOX	Class 9C	300	3	73051300	1,348	6	Stainless steel AISI 304
INOX	Class 9C	400	3	73051400	2,084	6	Stainless steel AISI 304
INOX	Class 9C	500	3	73051500	2,560	6	Stainless steel AISI 304
INOX	Class 9C	600	3	73051600	3,566	6	Stainless steel AISI 304
INOX	Class 9D	100	3	73061100	0,539	24	Acero inoxidable AISI 316L
INOX	Class 9D	150	3	73061150	0,737	12	Acero inoxidable AISI 316L
INOX	Class 9D	200	3	73061200	0,947	12	Acero inoxidable AISI 316L
INOX	Class 9D	300	3	73061300	1,348	6	Acero inoxidable AISI 316L
INOX	Class 9D	400	3	73061400	2,084	6	Acero inoxidable AISI 316L
INOX	Class 9D	500	3	73061500	2,560	6	Acero inoxidable AISI 316L
INOX	Class 9D	600	3	73061600	3,566	6	Acero inoxidable AISI 316L

Protection System

CU - Copper electroplated



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Cover

3/8

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic



Product applications









