


Insert-MC



Description

Advantages

Applications

Solutions



Main technical characteristics

Colour Black RAL 9005	DN NW 3, NW 4, NW 5, NW 6, NW 7, NW 9, NW 8	PG 9, PG11, PG13, PG16, PG21, PG29	NBR	IP65
-40 / 100 °C	LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA	ETIM 10 EC000879		

Product data

DN	PG	Q ₁₀	Q ₂	Ref	kg/u	Q ₃
NW 3	PG 9	11	2	40030209	0,001	50
NW 4	PG11	14	2	40030211	0,001	50
NW 5	PG11	14	2	40030311	0,001	50
NW 6	PG13	16	2	40030313	0,001	50
NW 7	PG16	18	2	40030316	0,002	25
NW 9	PG21	22	2	40030321	0,003	25
NW 3	PG 9	11	3	40030409	0,001	50
NW 7	PG21	22	3	40030421	0,003	25
NW 9	PG29	30	4	40030429	0,006	5
NW 5	PG11	14	3	40030511	0,001	50
NW 5	PG13	16	3	40030513	0,001	50
NW 6	PG16	18	3	40030516	0,002	25
NW 8	PG21	22	3	40030521	0,003	25
NW 3	PG 9	11	4	40030609	0,001	50
NW 5	PG16	18	4	40030616	0,002	25
NW 7	PG21	22	4	40030621	0,003	25
NW 4	PG21	22	8	40030821	0,003	25
NW 3	PG29	30	16	40030829	0,008	5

Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electroalvanised

BC - Electroalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



Insert-MC

- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

