


HEXADIN-M Cablegland



Description

Metal cable gland with neoprene seal and an IP54 protection rating in accordance with EN 60529. Available in metric threads from M12 to M63 and in PG7 to PG48 threads for various cable diameters. Made of nickel-plated brass.

Advantages

Made of nickel-plated brass.

Protection index EN 60529: IP54.

Working temperature: -25°C to + 60°C.

CE conformity with regard to directive 2014/35 and standard IEC 62444.

Applications

Its use is recommended for the protection of wiring and conductors in general applications and tertiary sector.

Solutions



Main technical characteristics							
LTN	PG 7, PG 9, PG11, PG13, PG16, PG21, PG29, PG36, PG48, M12, M16, M20, M25, M32, M40, M50, M63	LATÓN NIQUELADO,NBR					
IP54	-15 / 60 °C	LIBRE DE HALÓGENOS,NO PROPAGADOR DE LA LLAMA			ETIM 10 EC000441		

Product data							
			L _{mm}		Ref	kg/u	
PG 7	5	6 / 8	20	14	20050007	0,009	50
PG 9	6	4 / 10	21	18	20050009	0,013	50
PG11	6	6.5 / 12	23	20	20050011	0,018	50
PG13	6.5	6.5 / 13.5	26.5	22	20050013	0,024	50
PG16	6.5	6.5 / 16	28.5	24	20050016	0,029	50
PG21	7	9 / 20	31	30	20050021	0,046	25
PG29	8	17 / 28	34	40	20050029	0,087	25
PG36	9	23 / 34	39	50	20050036	0,139	10
PG48	10	35 / 46	47	64	20050048	0,280	5
M12	7	5 / 7	21	14	20051120	0,009	50
M16	7	4 / 9.5	23	18	20051160	0,013	50
M20	7	6 / 13	26.5	22	20051200	0,018	50
M25	8	6 / 15	28.5	27	20051250	0,029	50
M32	8.5	9 / 20	31	33	20051320	0,045	25
M40	8.5	15 / 27	34	40	20051400	0,086	10
M50	9.5	21 / 33	39	50	20051500	0,139	5
M63	10.5	30 / 45	47	65	20051630	0,281	5

Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum
LN - Brass or Nickel-plated brass

Insulating materials
PC+ABS - Halogen Free Polycarbonate + ABS
PVC - Polyvinyl Chloride
PP - Halogen Free Polypropylene
PA6 - Halogen Free Polyamide 6

HEXADIN-M Cablegland

- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

