



## PEMSA<sup>band</sup> Inside Hanging Plate



### Description

Inside Suspension for Pemsaband® tray. M10 threaded rod fixing that is concealed inside the tray. Attach the rod to the tray by means of an integrated thread. Available in different sizes and Protection Systems.

### Advantages

For ceiling mounting with M10 rods. No need for any additional nuts as the plate has an integrated thread.

The support is concealed inside the tray giving an aesthetic appearance of the trays.

To connect the suspension to the tray, use the Pemsaband® M6 Joining Kit.

Easy and quick to install.

Available in widths from 100 to 400 mm and in different protection systems: PG and GC

### Applications

Recommended for ceiling installation of Pemsaband® trays, concealing the suspension inside the tray. Suitable for the management of cables in electrical and telecommunications installations in public buildings, commercial centres or other buildings with a highly aesthetic component.

### Solutions



PEMSA**band** Inside Hanging Plate

Main technical characteristics

|                                                                                    |                                                                                                           |                                                                                      |                                                                                                              |                                                                                                |                                                                                                       |                     |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------|
|  60 |  100, 150, 200, 300, 400 |  10 |  Steel with surface coating |  -50 / 150 °C |  A1 No combustible | ETIM 10<br>EC001003 |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|---------------------|

Product data

|  | Class EC<br>61537 |  | Ref      | kg/u  | CTA<br>J 60-1 |
|-----------------------------------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------|----------|-------|---------------|
| PG                                                                                | Class 3           | 100                                                                               | 70122210 | 0,162 | 40            |
| PG                                                                                | Class 3           | 150                                                                               | 70122215 | 0,204 | 35            |
| PG                                                                                | Class 3           | 200                                                                               | 70122220 | 0,247 | 27            |
| PG                                                                                | Class 3           | 300                                                                               | 70122230 | 0,333 | 20            |
| PG                                                                                | Class 3           | 400                                                                               | 70122240 | 0,417 |               |
| GC                                                                                | Class 8           | 100                                                                               | 70132210 | 0,167 | 40            |
| GC                                                                                | Class 8           | 150                                                                               | 70132215 | 0,211 | 35            |
| GC                                                                                | Class 8           | 200                                                                               | 70132220 | 0,255 | 27            |
| GC                                                                                | Class 8           | 300                                                                               | 70132230 | 0,343 | 20            |
| GC                                                                                | Class 8           | 400                                                                               | 70132240 | 0,430 |               |

 Protection System

CU - Copper electroplated

PG - Pregalvanised

EZ - Electrogalvanised

BC - Electrogalvanised Bichromate

BK8 - High Resistance Coating

GC - Hot Dip Galvanising

INOX - Stainless Steel

PT - Polyester Paint

AL - Aluminum

LN - Brass or Nickel-plated brass

 Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS

PVC - Polyvinyl Chloride

PP - Halogen Free Polypropylene

PA6 - Halogen Free Polyamide 6

PA12 - Halogen Free Polyamide 12

PU - Polyurethane

PE - Polyethylene

NBR - NBR rubber

PET - Thermoplastic Polyester

TPV - Thermoplastic

