



Base Entry Rejiband Pemsaband



Description

Metal accessory to create a vertical branch from a Rejiband® tray to a Pemsaband tray. Available in two sizes and two Protection Systems.

Advantages

Quick-connect click-fit system with no screws required to connect to the Rejiband® tray.

Complete view of the whole installation.

Prevents damage to the cables when making the joint.

Electrical continuity guaranteed according to standard IEC61537.

Applications

Suitable for the vertical drop from Rejiband® tray to Pemsaband® sheet trays for the protection of cables in Electrical and/or telecommunications cables in public buildings, infrastructures and civil works, tertiary sector and industrial applications.

Solutions



www.pemsa-rejiband.com



Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics

 100, 150	 1	 Steel with surface coating	 -50 / 150 °C	 A1 No combustible	ETIM 10 EC002397
---	---	--	--	---	---------------------

Product data

			Ref	kg/u
PG	Class 3	100	70027100	0,228
PG	Class 3	150	70027150	0,309
GC	Class 5	100	70037100	0,245
GC	Class 5	150	70037150	0,332

 Protection System


- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Base Entry Rejiband Pemsaband

Product applications



Base Entry Rejiband Pemsaband



Base Entry Rejiband Pemsaband

