



# Threaded Rod ( Ref: 67080045 )

1/8



## Description

M 8, M 8, M 8x1000 mm, With BK8 protection system, BK8-ZNI finish

## Advantages

## Applications

## Solutions



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



## Product data

|                                              |          |                                       |                            |
|----------------------------------------------|----------|---------------------------------------|----------------------------|
| <b>ETIM 10</b>                               | EC000028 | <b>u</b>                              | 50                         |
| <b>Huella de CO2. GWP A1-A3 (kg CO2 eq.)</b> |          | <b>Material</b>                       | Steel with surface coating |
| <b>Protection System</b>                     | BK8      | <b>F (kg)</b>                         | 400                        |
| <b>Resistance Class</b>                      | Class 8  | <b>Working temperature range (°C)</b> | -50 / 150 °C               |
| <b>M/PG</b>                                  | M 8      | <b>Fire resistance</b>                | E90 (90 min. 1000°C)       |
| <b>L (mm)</b>                                | 1000     |                                       |                            |
| <b>kg/u</b>                                  | 0,320    |                                       |                            |

## 🔒 Protection System

**CU** - Copper electroplated

**PG** - Pregalvanised

**EZ** - Electrogalvanised

**BC** - Electrogalvanised Bichromate

**BK8** - High Resistance Coating

**GC** - Hot Dip Galvanising

**INOX** - Stainless Steel

**PT** - Polyester Paint

**AL** - Aluminum

**LN** - Brass or Nickel-plated brass

## 🏠 Insulating materials

**PC+ABS** - Halogen Free Polycarbonate + ABS

**PVC** - Polyvinyl Chloride

**PP** - Halogen Free Polypropylene

**PA6** - Halogen Free Polyamide 6

**PA12** - Halogen Free Polyamide 12

**PU** - Polyurethane

**PE** - Polyethylene


**NBR** - NBR rubber


**PET** - Thermoplastic Polyester

**TPV** - Thermoplastic



Load diagrams

| ↓CTA↓ (kg)                                                                         |  | kg  |
|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----|
| una varilla / one rod / uma varão                                                  |                                                                                   |     |
|  | 100-300                                                                           | 160 |

| ↓CTA↓ (kg)                                                                         | ◀▶      | kg  |
|------------------------------------------------------------------------------------|---------|-----|
| una varilla / one rod / uma varão                                                  |         |     |
|  | 100-300 | 160 |

Product applications



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



