


Fixing Support



Description

ABS plastic support in a red colour for fixing and clamping cables to the Rejiband® wire mesh tray. A Rejiband® accessory that allows the organization of cables in the wire mesh tray and grouping of the different types of cables for convenience: power, UTP or fibre optic cables. Quick connection assembly using the Click system without screws.

Advantages

Fixing by quick click system.

Quick installation without the need for screws or fastenings.

Economical and reusable.

Allows a quick and flexible way to clamp cables.

Can be placed in the full width of the tray.

High safety material, flammability V0 according to UL94 for black references.

Applications

Suitable for installations of voice, data and fibre optic cables and all electrical wiring.

Solutions



DATA CENTERS



www.pemsa-rejiband.com

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."

Main technical characteristics										
COLOUR	Red RAL 3000, Black RAL 9005	kg/u	0,007		20		Plastic		-15 / 90 °C	ETIM 10 EC002935

Product data		
COLOUR	REF	
Red RAL 3000	68000010	NO PROPAGADOR DE LA LLAMA,GRADO UL94: V2
Black RAL 9005	68000110	NO PROPAGADOR DE LA LLAMA,GRADO UL94: V0


 Protection System
CU - Copper electroplated
PG - Pregalvanised
EZ - Electrogalvanised
BC - Electrogalvanised Bichromate
BK8 - High Resistance Coating
GC - Hot Dip Galvanising
INOX - Stainless Steel
PT - Polyester Paint
AL - Aluminum
LN - Brass or Nickel-plated brass
 Insulating materials

PC+ABS - Halogen Free Polycarbonate + ABS
PVC - Polyvinyl Chloride
PP - Halogen Free Polypropylene
PA6 - Halogen Free Polyamide 6
PA12 - Halogen Free Polyamide 12
PU - Polyurethane
PE - Polyethylene
NBR - NBR rubber
PET - Thermoplastic Polyester
TPV - Thermoplastic


Fixing Support

3/5

Product applications



Fixing Support



Fixing Support

