


## PQ Outside Riser Cover



### Description

Outside riser cover to protect the wiring installation of the Pemsaband® PQU and PQW tray. Mounting by screws. Approved according to CEPSA and REPSOL specifications. Made of steel, with GC Protection System 85 microns thick.

### Advantages

Compatible with Pemsaband® PQU and Pemsaband® PQW ranges.

Available for widths from 100 to 400.

Conforms to IEC 61537 and CE Conformity to Directive 2014/35/EU.

Specially designed for the petrochemical sector, with CEPSA and REPSOL approvals.

GC protection system (standard UNE-EN ISO 1461), suitable for outdoor installations and in aggressive environments. Corrosion resistance class 8 according to IEC 61537.

### Applications

Used for the protection of cables in the outside riser of Pemsaband® PQU and PQW trays, for the Support, management and distribution of cables in Petrochemical Oil & Gas, Offshore, Civil works and Infrastructures, as well as in tunnels and installation galleries.

### Solutions



[www.pemsa-rejiband.com](http://www.pemsa-rejiband.com)

Any information included in this document is property of Pemsa®. It cannot be copied, total or partially, nor disclosed to third parties nor used without the explicit and written authorization by Pemsa®. These documents total or partially, can be subject to patent and/or be patent pending and therefore protected by intellectual and industrial property rights. Pemsa, Rejiband, Pemsaband, Inducanal, Rejitech, Megaband, Pemsaflex are registered trademarks property of "Pemsa Cable Management, S.A."



| Main technical characteristics                                                                     |                                                                                           |                                                                                                           |                                                                                       |                                                                                     |                                                                                                              |                                                                                                  |  |  |  |
|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--|--|--|
|  GC                |  Class 8 |  100, 150, 200, 300, 400 |  100 |  1 |  Steel with surface coating |  -50 / 150 °C |  |  |  |
|  A1 No combustible | ETIM 10<br>EC002402                                                                       |                                                                                                           |                                                                                       |                                                                                     |                                                                                                              |                                                                                                  |  |  |  |

| Product data                                                                      |          |       |
|-----------------------------------------------------------------------------------|----------|-------|
|  | Ref      | kg/u  |
| 100                                                                               | 70353010 | 0,720 |
| 150                                                                               | 70353015 | 1,010 |
| 200                                                                               | 70353020 | 1,300 |
| 300                                                                               | 70353030 | 1,870 |
| 400                                                                               | 70353040 | 2,450 |

|  Protection System |
|----------------------------------------------------------------------------------------------------|
| CU - Copper electroplated                                                                          |
| PG - Pregalvanised                                                                                 |
| EZ - Electrogalvanised                                                                             |
| BC - Electrogalvanised Bichromate                                                                  |
| BK8 - High Resistance Coating                                                                      |
| GC - Hot Dip Galvanising                                                                           |
| INOX - Stainless Steel                                                                             |
| PT - Polyester Paint                                                                               |
| AL - Aluminum                                                                                      |
| LN - Brass or Nickel-plated brass                                                                  |

|  Insulating materials |
|---------------------------------------------------------------------------------------------------------|
| PC+ABS - Halogen Free Polycarbonate + ABS                                                               |
| PVC - Polyvinyl Chloride                                                                                |
| PP - Halogen Free Polypropylene                                                                         |
| PA6 - Halogen Free Polyamide 6                                                                          |
| PA12 - Halogen Free Polyamide 12                                                                        |
| PU - Polyurethane                                                                                       |
| PE - Polyethylene                                                                                       |
| NBR - NBR rubber                                                                                        |
| PET - Thermoplastic Polyester                                                                           |
| TPV - Thermoplastic                                                                                     |