



Hexagonal Nut



Description

Hexagonal metal nut that together with a bolt enables the fixing of joints, supports and channel structures for installations of trays, joints, flanges for supports and accessories. Available in M8 and M10. Made of steel and in various Protection Systems.

Advantages

Very versatile piece for use in any joint along with a M8 or M10 hexagonal set screw.

CE conformity to directive 2014/35 / EU.

Available in several protection systems: EZ, GC and AISI316L stainless steel.

Applications

Suitable for the fixing of joints, supports and channel structures in tray installations for the management of electrical cables and / or telecommunications in public buildings, infrastructures and civil works, industrial facilities and the tertiary sector.

Solutions



Main technical characteristics

 M10, M 8	 100	 -50 / 150 °C	 A1 No combustible	ETIM 10 EC003863
--	---	--	---	---------------------

Product data

Ⓢ	EN 61537		Ref	kg/u	Ⓜ
EZ	Class 3	M10	67020079	0,010	Steel with surface coating
EZ	Class 3	M 8	67020095	0,005	Steel with surface coating
GC	Class 8	M10	67030014	0,011	Steel with surface coating
GC	Class 8	M 8	67030062	0,005	Steel with surface coating
INOX	Class 9D	M10	67060014	0,010	Acero inoxidable AISI 316L
INOX	Class 9D	M 8	67060062	0,005	Acero inoxidable AISI 316L

Ⓢ Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

Ⓜ Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic