




Description

Coupling piece for joining straight sections and accessories of Megaband® ladder by using M8 hexagonal nuts and bolts. Suitable for Megaband® ladder of 60, 100, 120 and 150mm height, maintaining electrical continuity, according to IEC 61537. Made of steel, available in different Protection Systems.

Advantages

Only necessary if straight sections are cut since the Megaband ladder has an integrated coupling system.

Very simple assembly by fixing the coupler to the Megaband® ladder by means of M8 hexagonal nuts and bolts.

Suitable for Megaband® ladder, heights 85, 100 and 120 mm.

Electrical continuity guaranteed according to standard IEC61537.

Wide variety of sizes, protection systems and accessories to adapt to the requirements of each electrical installation.

Applications

Suitable for the joining of straight sections and accessories of the Megaband ladder for the management of cables in electrical and telecommunication installations in public buildings, infrastructures and civil works, industrial installations, tertiary sector.

Solutions



Main technical characteristics

 60, 100	 -50 / 150 °C	 A1 No combustible	ETIM 10 EC002413
--	--	---	---------------------

Product data

	 Class		 Ref	kg/u		 M
EZ	Class 3	60	93910002	0,076	50	Steel with surface coating
EZ	Class 3	100	93910003	0,113	20	Steel with surface coating
GC	Class 6	60	93930002	0,081	50	Steel with surface coating
GC	Class 6	100	93930003	0,120	20	Steel with surface coating
INOX	Class 9C	60	93950002	0,075	50	Stainless steel AISI 304
INOX	Class 9C	100	93950003	0,112	20	Stainless steel AISI 304
INOX	Class 9D	60	93960002	0,075	50	Acero inoxidable AISI 316L
INOX	Class 9D	100	93960003	0,112	20	Acero inoxidable AISI 316L

 Protection System

- CU - Copper electroplated
- PG - Pregalvanised
- EZ - Electrogalvanised
- BC - Electrogalvanised Bichromate
- BK8 - High Resistance Coating
- GC - Hot Dip Galvanising
- INOX - Stainless Steel
- PT - Polyester Paint
- AL - Aluminum
- LN - Brass or Nickel-plated brass

 Insulating materials

- PC+ABS - Halogen Free Polycarbonate + ABS
- PVC - Polyvinyl Chloride
- PP - Halogen Free Polypropylene
- PA6 - Halogen Free Polyamide 6
- PA12 - Halogen Free Polyamide 12
- PU - Polyurethane
- PE - Polyethylene
- NBR - NBR rubber
- PET - Thermoplastic Polyester
- TPV - Thermoplastic

Product applications

