




Description

Metal part for the creation of adjustable angle level changes with Megaband® ladder, by using m8 bolts and hexagonal nuts whilst also maintaining the electrical continuity, according to IEC 61537.

Advantages

Thanks to the articulation it allows the creation of level changes.

Requires M8 hexagonal bolts and nuts.

Also compatible with Pemsaband® One perforated and solid sheet trays.

Electrical continuity guaranteed according to standard IEC61537.

Available in various protection systems: EZ, GC and stainless steel AISI 304 and AISI 316L.

Applications

The Megaband® ladder is designed to be able to make level changes of cable management in electrical and telecommunications installations in public buildings, infrastructures and civil works, tertiary sector and industrial applications. Compatibility with the Pemsaband® One perforated and solid ranges.

Solutions



Main technical characteristics

 60, 100	 8	 -50 / 150 °C	 A1 No combustible	ETIM 10 EC002413
---	---	--	---	---------------------

Product data

Ⓢ	Class		Ref	kg/u	Ⓜ
EZ	Class 3	60	93910012	0,058	Steel with surface coating
EZ	Class 3	100	93910013	0,101	Steel with surface coating
GC	Class 6	60	93930012	0,061	Steel with surface coating
GC	Class 6	100	93930013	0,107	Steel with surface coating
INOX	Class 9C	60	93950012	0,057	Stainless steel AISI 304
INOX	Class 9C	100	93950013	0,100	Stainless steel AISI 304
INOX	Class 9D	60	93960012	0,057	Acero inoxidable AISI 316L
INOX	Class 9D	100	93960013	0,100	Acero inoxidable AISI 316L

Ⓢ Protection System

- CU** - Copper electroplated
- PG** - Pregalvanised
- EZ** - Electrogalvanised
- BC** - Electrogalvanised Bichromate
- BK8** - High Resistance Coating
- GC** - Hot Dip Galvanising
- INOX** - Stainless Steel
- PT** - Polyester Paint
- AL** - Aluminum
- LN** - Brass or Nickel-plated brass

Ⓜ Insulating materials

- PC+ABS** - Halogen Free Polycarbonate + ABS
- PVC** - Polyvinyl Chloride
- PP** - Halogen Free Polypropylene
- PA6** - Halogen Free Polyamide 6
- PA12** - Halogen Free Polyamide 12
- PU** - Polyurethane
- PE** - Polyethylene
- NBR** - NBR rubber
- PET** - Thermoplastic Polyester
- TPV** - Thermoplastic

Product applications

